NAME OF PRODUCT

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION				
PRODUCT NAME: SYNONYMS: PRODUCT CODES:	7353 Absorbent Powder for Blood	oorne Pathogen Kit		
MANUFACTURED FOR: ADDRESS:	Impact Products, LLC 2840 Centennial Road, Toledo, OH 43617			
EMERGENCY PHONE: CHEMTREC PHONE:	800-654-4752			
CHEMICAL NAME: CHEMICAL FAMILY: CHEMICAL FORMULA:				
SECTION 2: COMPOSITION	INFORMATION ON INGREDIENTS			
INGREDIENT: Petroleum Distillates Silica	<u>CAS NO.</u> 68551-17-7 7631-86-9	<u>% WT</u>	<u>TLV/PEL</u> OSHA PEL: 500 ppm ACGIH TLV: 500 ppm OSHA PEL: 5 mg/m3	
Silica	14808-60-7		ACGIH TLV: 5 mg/m3 OSHA PEL: 0.1 mg/m3 ACGIH TLV: 0.1 mg/m3	
The following substances a Aluminum Magnesium Silic Polyacrylaca, NA Salt Cross linked water absorbin Polymer	n/a	nces but are listed to as		
SECTION 3: HAZARDS IDEN	ITIFICATION			
ROUTES OF ENTRY: Inhala	ation - Yes Skin - No	Ingestion - Yes		
		ion	to dust may cause eye, nasal or bronchial	
CARCINOGENICITY OSHA: No NTP:	No IARC: Yes	OTHER:		
SECTION 4: FIRST AID MEA	ASURES			
EYES: Flush with large and SKIN: Flush with large and INGESTION: INHALATION: Remove to fr		a physician		
SECTION 5: FIRE-FIGHTING	MEASURES			
FLAMMABLE LIMITS: FLASH POINT: n/a METHOD USED: HMIS HAZARD CLASSIFICA EXTINGUISHING MEDIA: Ca SPECIAL FIRE FIGHTING PE UNUSUAL FIRE AND EXPLO HAZARDOUS DECOMPOSIT	arbon dioxide, dry foam, water spray ROCEDURES: None DSION HAZARDS: None		STIVITY - 0	
	PAG	E1OF7		

NAME OF PRODUCT

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### ACCIDENTAL RELEASE MEASURES:

## SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Do not store near heat or open flame. OTHER PRECAUTIONS:

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION : Local - Adequate Mechanical - Adequate Special - n/a Other - n/a RESPIRATORY PROTECTION: Dust respirator - NIOSH approved EYE PROTECTION: Safety glasses SKIN PROTECTION: Gloves - not required OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None WORK HYGIENIC PRACTICES: Practice good housekeeping practices, avoid skin and eye contact and breathing dust

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/ODOR: Beige powder with pleasant fragrance BOILING POINT: n/a MELTING POINT: n/a VAPOR PRESSURE (mmHg): n/a VAPOR DENSITY (AIR = 1): n/a SPECIAL GRAVITY (H2O = 1): n/a EVAPORATION RATE: n/a SOLUBILITY IN WATER: 25% Bulk Density g/ml-0.54 PERCENT VOLATILE: VISCOSITY:

#### SECTION 10: STABILITY AND REACTIVITY

STABILITY: <u>STABLE</u> <u>UNSTABLE</u> X

CONDITIONS TO AVOID (STABILITY): None INCOMPATIBILITY (MATERIAL TO AVOID): Avoid contact with strong oxidizing agents such as nitric acid HAZARDOUS DECOMPOSITION: None HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID (POLYMERIZATION): None

SECTION 11: DISPOSAL CONSIDERATIONS/PROCEDURES FOR SPILL OR LEAK CLEANUP

WASTE DISPOSAL METHOD: Incineration or landfill. Dispose of in accordance with local, state, and federal regulations PROCEDURE FOR SPILL OR LEAK CLEANUP: Sweep up and discard in trash

### **OTHER INFORMATION:**

DISCLAIMER: The information furnished herein is believed to be accurate and represents the best data currently available to us.

No warranty, expressed or implied is made and Impact Products LLC assumes no legal responsibility or liability resulting from its use.

NAME OF PRODUCT

SECTION 1: PRODUCT AND	COMPANY IDENTI	FICATION		
PRODUCT NAME: SYNONYMS: PRODUCT CODES:	7353 Antiseptic To	welette for Bloodbo	rne Pathogen Kit	
MANUFACTURED FOR: ADDRESS:	Impact Products, I 2840 Centennial R	LC oad, Toledo, OH 43	617	
EMERGENCY PHONE: CHEMTREC PHONE:	414-421-3300			
CHEMICAL NAME: CHEMICAL FAMILY: CHEMICAL FORMULA:				
SECTION 2: COMPOSITION	I/INFORMATION ON	INGREDIENTS		
INGREDIENT: Isopropi Alcohol	<u>CAS NO.</u>	<u>% WT</u>	<u>TLV/PEL</u> OSHA PEL - 400 ppm ACGIH TLV - 400 ppm	<u>OTHER LIMITS</u> TWA - 980 mg/in3
SECTION 3: HAZARDS IDE	NTIFICATION			
ROUTES OF ENTRY: Inha	lation - n/a	Skin - Yes	ngestion - n/a	
POTENTIAL HEALTH EFFECTS   EYES: (None expected from normal use)   SKIN: (None expected from normal use)   INGESTION: (None expected from normal use)   INHALATION: (None expected from normal use)   ACUTE/CHRONIC HEALTH HAZARDS: Possible mild skin irritant   MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Sensitive or inflamed skin may become irritated				
	ITP: n/a	IARC: n/a	OTHER:	
SECTION 4: FIRST AID ME	ASURES			
EYES: Flush with large amounts of water. If irritation persists, contact a physician SKIN: n/a INGESTION: If swallowed, contact a physician INHALATION:				
SECTION 5: FIRE-FIGHTING	G MEASURES			
FLAMMABLE LIMITS: n/e FLASH POINT: None METHOD USED: HAZARD CLASSIFICATION EXTINGUISHING MEDIA: C SPECIAL FIRE FIGHTING P UNUSUAL FIRE AND EXPL HAZARDOUS DECOMPOSI	Carbon dioxide, dry ( ROCEDURES: Non OSION HAZARDS: I TION PRODUCTS:	e None		`: 
SECTION 6: ACCIDENTAL	RELEASE MEASURE	-5		

ACCIDENTAL RELEASE MEASURES:

NAME OF PRODUCT

## SECTION 7: HANDLING AND STORAGE

#### HANDLING AND STORAGE: Avoid excessive temperature to prevent product degradation

OTHER PRECAUTIONS: None

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** 

VENTILATION : Local - n/a Mechanical - Yes

Special - n/a

Other - n/a

RESPIRATORY PROTECTION: Normal EYE PROTECTION: Goggles, use eye wash if contact occurs SKIN PROTECTION: Gloves - none OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGIENIC PRACTICES: Good hygienic practice

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/ODOR: Clear, colorless with lemon-lime fragrance and slight alcoholic odor BOILING POINT: 180 degrees F MELTING POINT: n/a VAPOR PRESSURE (mmHg): n/a VAPOR DENSITY (AIR = 1): 2.0 SPECIAL GRAVITY (H2O = 1): .980 EVAPORATION RATE: 7.0 SOLUBILITY IN WATER: Soluble PERCENT VOLATILE: VISCOSITY:

#### SECTION 10: STABILITY AND REACTIVITY

STABILITY: <u>STABLE</u> <u>UNSTABLE</u> x

CONDITIONS TO AVOID (STABILITY): n/a INCOMPATIBILITY (MATERIAL TO AVOID): n/a HAZARDOUS DECOMPOSITION: None HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID (POLYMERIZATION): n/a

SECTION 11 DISPOSAL CONSIDERATIONS/PROCEDURES FOR SPILL OR LEAK CLEANUP

WASTE DISPOSAL METHOD: Normal disposal method allowed by local, state and federal regulations PROCEDURE FOR SPILL OR LEAK CLEANUP: Flush with water spray

#### **OTHER INFORMATION:**

DISCLAIMER: The information furnished herein is believed to be accurate and represents the best data currently available to us.

No warranty, expressed or implied is made and Impact Products LLC assumes no legal responsibility or liability resulting from its use.

NAME OF PRODUCT

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

CECTION III NOBCOT AND		Internet			
PRODUCT NAME: PRODUCT CODES: MANUFACTURER CODE: DOT DESCRIPTION:	PRODUCT CODES: 57606 MANUFACTURER CODE: HY01000				
MANUFACTURED FOR: ADDRESS:	Impact Products, LLC 2840 Centennial Road, Toledo, OH 43617				
MEDICAL EMERGENCY: TRANSPORTATION EMERC PRODUCT INFORMATION: CHEMTREC PHONE:	800-75 SENCY: 312-37				
CHEMICAL NAME: CHEMICAL FAMILY: CHEMICAL FORMULA:					
SECTION 2: COMPOSITION	I/INFORMATION C	N INGREDIENTS			
INGREDIENT: Ethanol	<u>CAS N</u> 64-17-5			<u>TLV/PEL</u> OSHA PEL: 1,000 ppm ACGIH TLV: 1,000 ppm	
Butane	106-97	-8 10-20		OSHA PEL: 800 ppm ACHIG TLV: 800 ppm	
Propane	74-98-6	5-10		OSHA PEL: 1,000 ppm ACHIG TLV: n/a	
SECTION 3: HAZARDS IDENTIFICATION   ROUTES OF ENTRY: n/a   POTENTIAL HEALTH EFFECTS   EYES: Causes temporary eye irritation   SKIN:   INGESTION:   INHALATION:   ACUTE/CHRONIC HEALTH HAZARDS:   MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Unknown   CARCINOGENICITY   OSHA: No   NTP: No   IARC: No   OTHER: No   SECTION 4: FIRST AID MEASURES   EYES: Flush eyes with plenty of water. Contact a physician should irritation persists.   SKIN: INGESTION:   INHEALATION: INHALATION:					
SECTION 5: FIRE-FIGHTING MEASURES					
FLAMMABLE LIMITS: FLASH POINT: METHOD USED: HAZARD CLASSIFICATION EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING P UNUSUAL FIRE AND EXPL HAZARDOUS DECOMPOSI	Water, foam ROCEDURES: OSION HAZARDS:	n/a Treat liquid as co	ABILITY: 2 mbustible	REACTIVITY: 0	
		PAGE	5 OF 7		

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### ACCIDENTAL RELEASE MEASURES:

#### SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Warning. Contents under pressure. Keep out of reach of children. Flammable. Keep in a cool, dry. Locked area away from flames, sparks, and other sources of heat or ignition. Do not spray on or towards eyes or face. Avoid breathing spray mist or vapors.

MAINTENANCE PRECAUTIONS: n/a

OTHER PRECAUTIONS: Read entire label before using. Follow all label directions. Detectable amounts of "chemicals known to the state of California to cause cancer. Birth defects or other reproductive harm may be found in these products and their vapors or result from their use. Read and follow label directions and other product safety and health information which you have been provided with when handling or using our products

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

one required
)

VENTILATION :	Local - None required Special - n/a
	Mechanical - Adequate Other - n/a
RESPIRATORY PROTECTION:	None required
EYE PROTECTION:	Safety glasses
SKIN PROTECTION:	Gloves: none required
OTHER PROTECTIVE CLOTHING OR	EQUIPMENT: n/a
WORK HYGIENIC PRACTICES:	Always follow safe work practices

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE/ODOR:** Clear, colorless liquid pleasantly scented BOILING POINT: 180 degrees F **MELTING POINT:** VAPOR PRESSURE (mmHg): 30 VAPOR DENSITY (AIR = 1): >1 SPECIAL GRAVITY (H2O = 1): 0.87 **EVAPORATION RATE:** >1 SOLUBILITY IN WATER: Appreciable PERCENT VOLATILE: VISCOSITY:

> STABLE X

### SECTION 10: STABILITY AND REACTIVITY

STABILITY:

UNSTABLE

CONDITIONS TO AVOID (STABILITY): INCOMPATIBILITY (MATERIAL TO AVOID): HAZARDOUS DECOMPOSITION: HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID (POLYMERIZATION):

Avoid heating to abnormal temperatures None Oxides of carbon may be formed upon combustion No None

## SECTION 11: DISPOSAL CONSIDERATIONS/PROCEDURES FOR SPILL OR LEAK CLEANUP

WASTE DISPOSAL METHOD: Replace cap and discard container in trash. Do not puncture or incinerate.

PROCEDURE FOR SPILL OR LEAK CLEANUP: Remove sources of flame, spark or heat. Provide adequate ventilation. Wipe up spills.

## OTHER INFORMATION:

us.

DISCLAIMER: The information furnished herein is believed to be accurate and represents the best data currently available to

No warranty, expressed or implied is made and Impact Products LLC assumes no legal responsibility or liability resulting from its use.

NAME OF PRODUCT