

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 12/16/2024

Revision date: 12/16/2024

Version: 1.0

SDS No: 00625-0088



## SECTION 1: Identification

### 1.1. Identification

Product form : Mixture  
Product name : Active Green cleaner tab  
Further information : Article number: 56.01.535; 56.01.527

### 1.2. Recommended use and restrictions on use

Recommended use : RATIONAL Active Green cleaner tab for all iHexagon, iCombi Pro, iCombi Classic, SelfCookingCenter® with Efficient CareControl, and CombiMaster® Plus with automatic cleaning models, for commercial use,  
Cleaning agent,  
Restricted to professional users

### 1.3. Supplier

**Supplier**  
RATIONAL AG  
Siegfried-Meister-Straße 1  
Landsberg am Lech, 86899  
Germany  
T +49 8191 327 387 - F +49 8191 327 231  
[reinigung@rational-online.com](mailto:reinigung@rational-online.com) - [www.rational-online.com](http://www.rational-online.com)  
E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

**Supplier**  
RATIONAL USA Inc.  
1701 Golf Road  
Suite C-120, Commerciuum  
Rolling Meadows, IL 60008  
USA  
T +1-888-320-7274

### 1.4. Emergency telephone number

Emergency number : Emergency CONTACT (24-Hour-Number)  
GBK/Infotrac ID 114705: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### GHS US classification

Corrosive to metals Category 1	H290	May be corrosive to metals.
Skin corrosion/irritation Category 1A	H314	Causes severe skin burns and eye damage
Serious eye damage/eye irritation Category 1	H318	Causes serious eye damage
Full text of H statements : see section 16		

### 2.2. GHS Label elements, including precautionary statements

#### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger  
Hazard statements (GHS US) : H290 - May be corrosive to metals.  
H314 - Causes severe skin burns and eye damage  
Precautionary statements (GHS US) : P101 - If medical advice is needed, have product container or label at hand.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 00625-0088

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER, a doctor.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium hydroxide	CAS-No.: 1310-73-2	50 - < 65	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
Sodium carbonate	CAS-No.: 497-19-8	5 - 10	Eye Irrit. 2, H319
disodium metasilicate	CAS-No.: 6834-92-0	1 - 5	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Adhere to personal protective measures when giving first aid.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.  
First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.  
First-aid measures after eye contact : Call a physician immediately. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
First-aid measures after ingestion : Rinse mouth. If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.  
Symptoms/effects after eye contact : Serious damage to eyes.  
Symptoms/effects after ingestion : May perforate the esophagus or the digestive tract. Burns.

### 4.3. Immediate medical attention and special treatment, if necessary

If possible, show the doctor this safety data sheet. Failing this, show the doctor the packaging or label.

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 00625-0088

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.  
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Contain the extinguishing fluids by bunding. Do not allow run-off from fire fighting to enter drains or water courses.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.  
Storage temperature : 10 – 40 °C  
Information on mixed storage : Keep away from food, drink and animal feeding stuffs.  
Packaging materials : Product must only be kept in the original packaging.

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 00625-0088

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

<b>Sodium hydroxide (1310-73-2)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
ACGIH OEL C	2 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2024
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OSHA PEL TWA	2 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Hand protection:

Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Type	Material	Permeation	Thickness (mm)	Penetration
Chemically resistant protective gloves	butyl rubber, Nitrile rubber (NBR)	3 (> 60 minutes)		

##### Eye protection:

tightly fitting safety goggles

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

Not required for normal conditions of use

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: tablet.
Color	: white
Odor	: characteristic
Odor threshold	: No data available
pH	: 12.5
pH solution concentration	: 1 %
Melting point	: No data available

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 00625-0088

Freezing point	:	Not applicable
Boiling point	:	No data available
Flash point	:	Not applicable
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	Non flammable.
Vapor pressure	:	No data available
Relative vapor density at 20°C	:	No data available
Relative density	:	No data available
Density	:	1050 kg/m <sup>3</sup>
Solubility	:	Soluble in water.
Log Pow	:	No data available
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No data available
Viscosity, kinematic	:	Not applicable
Viscosity, dynamic	:	No data available
Explosion limits	:	Not applicable
Explosive properties	:	No data available
Oxidizing properties	:	No data available

### 9.2. Other information

VOC content : < 3 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Exothermic reaction on contact with: Acids.

### 10.4. Conditions to avoid

Keep out of frost. Keep away from heat and direct sunlight. Protect from atmospheric moisture and water.

### 10.5. Incompatible materials

Oxidizing agent. Light metals. Strong acids.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	:	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	:	Not classified (Based on available data, the classification criteria are not met)

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 00625-0088

<b>disodium metasilicate (6834-92-0)</b>	
LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
<b>Sodium carbonate (497-19-8)</b>	
LD50 oral rat	2800 mg/kg body weight Animal: rat
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: other:
Skin corrosion/irritation	: Causes severe skin burns. pH: 12.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 12.5
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
<b>disodium metasilicate (6834-92-0)</b>	
NOAEL (oral, rat, 90 days)	227 – 237 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: May perforate the esophagus or the digestive tract. Burns.
<b>SECTION 12: Ecological information</b>	
<b>12.1. Toxicity</b>	
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
<b>disodium metasilicate (6834-92-0)</b>	
LC50 fish 1	210 mg/l (96 h, Brachydanio rerio (zebra-fish))
EC50 Daphnia 1	1700 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>Sodium carbonate (497-19-8)</b>	
LC50 fish 1	300 mg/l Test organisms (species): Lepomis macrochirus
EC50 Daphnia 1	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
<b>Sodium hydroxide (1310-73-2)</b>	
EC50 Daphnia 1	40.4 mg/l Test organisms (species): Ceriodaphnia sp.

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 00625-0088

### 12.2. Persistence and degradability

#### Cleaner Tab Active Green

Persistence and degradability	Readily biodegradable,(OECD 301B method)
-------------------------------	--

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other adverse effects : Before neutralisation, the product may represent a danger to aquatic organisms.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

## SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
<b>14.1. UN number</b>		
UN1823	1823	1823
<b>14.2. Proper Shipping Name</b>		
Sodium hydroxide, solid	SODIUM HYDROXIDE, SOLID	Sodium hydroxide, solid
<b>14.3. Transport hazard class(es)</b>		
8	8	8
<b>14.4. Packing group</b>		
II	II	II
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 00625-0088

### 14.6. Special precautions for user

#### DOT

UN-No.(DOT)

DOT Special Provisions (49 CFR 172.102)

: UN1823

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.

IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner.

T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx)

: 154

DOT Packaging Non Bulk (49 CFR 173.xxx)

: 212

DOT Packaging Bulk (49 CFR 173.xxx)

: 240

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)

: 15 kg

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)

: 50 kg

DOT Vessel Stowage Location

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other

: 52 - Stow "separated from" acids

#### IMDG

Limited quantities (IMDG)

: 1 kg

Excepted quantities (IMDG)

: E2

Packing instructions (IMDG)

: P002

IBC packing instructions (IMDG)

: IBC08

IBC special provisions (IMDG)

: B21, B4

Tank instructions (IMDG)

: T3

Tank special provisions (IMDG)

: TP33

Stowage category (IMDG)

: A

Segregation (IMDG)

: SGG18, SG35

#### IATA

PCA Excepted quantities (IATA)

: E2

PCA Limited quantities (IATA)

: Y844

PCA limited quantity max net quantity (IATA)

: 5kg

PCA packing instructions (IATA)

: 859

PCA max net quantity (IATA)

: 15kg

CAO packing instructions (IATA)

: 863

CAO max net quantity (IATA)

: 50kg

ERG code (IATA)

: 8L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 00625-0088

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### Sodium hydroxide (1310-73-2)

CERCLA RQ	1000 lb
-----------	---------

#### 15.2. International regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 12/16/2024

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

#### Full text of H-phrases

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number

# Active Green cleaner tab

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 00625-0088

Abbreviations and acronyms	
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor
DOT	Department of Transport
TDG	Transportation of Dangerous Goods
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG	Transport of Australian Dangerous Goods

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.